



Yakima Memorial Hospital/Valley Imaging

## 2023 Imaging Services Order Guide

Medicare guidelines require explicit written and signed provider orders. This guide was created to assist you in ordering and authorizing exams accurately. Please obtain insurance authorizations before scheduling imaging studies.

Call one of our licensed/certified technologists if you have questions or comments.

**NOTE:** Please DO NOT call the department to schedule an appointment.

CENTRALIZED SCHEDULING 509-248-9592

GENERAL X-RAY. 509-895-0509

COMPUTED TOMOGRAPHY (CT) 509-895-0507

MAGNETIC RESONANCE IMAGING (MRI) 509-895-0505

NUCLEAR MEDICINE 509-575-8099

ULTRASOUND 509-249-5154

PROVIDER EMERGENCY. 509-248-7380 *Option 0*

Consultation of a Clinical Decision Support Mechanism is required to determine if advanced diagnostic imaging services (CT, MRI, Nuclear Medicine, PET) adheres to Appropriate Use Criteria. Order must include Decision Support Number (DSN), G-Code, and Modifier.

**CT/CAT Scan/Computed Tomography**

Phone 509-895-5007  
FAX 509-576-6982

*\*If patient is over 400 lbs., please call the CT department at 509-895-0507.*

Consultation of a Clinical Decision Support Mechanism is required. Order must include DSN, G-Code, and Modifier.

Body Part	Symptom (reason for exam)	Order/Perform	CPT Code(s)
Head	Bleed • Dizziness • Headache • Fracture • Fainting • Fresh CVA • Trauma (<1 week) • Dementia, Memory Loss, TIA	Without IV contrast	70450
Head	Note: Radiologist's protocol is to not do "with IV contrast only" unless a "without" IV contrast study has been performed within last 30 days.	With IV contrast	70460
Head	F/U CVA • Hx of Seizures • Vision Problems (Long Term) • F/U Trauma (>1 week) • Metastatic Disease	Without & with IV contrast	70470
Orbits	Fracture • Foreign Body	Without IV Contrast	70480
Orbits	Abscess • Infection • Mass	With IV Contrast	70481
SINUS	Sinusitis	Without IV Contrast	70486
Temporal Bones/IACs	Foreign Body • Trauma • Cholesteatoma	Without IV Contrast	70480
Temporal Bones/IACs	Abscess • Infection • Mass	With IV Contrast	70481
Mastoids	Mastoiditis	Without IV Contrast	70480
Facial Bones	Fracture • Parotid Stone • Trauma	Without IV Contrast	70486
Facial Bones	Abscess • Infection • Mass	With IV Contrast	70487
Neck (Soft Tissue)	Always done with IV contrast unless Creatinine level too high or involving Thyroid. Please call 509-895-0507 for instructions.	With IV Contrast	70491 Note: CPT 70490 used if done without IV contrast)
Spine: Cervical Thoracic Lumbar	Fracture • HNP (Lumbar) • Pain • Trauma • Pain in Arms (Cervical) • Radiculopathy	Without IV Contrast	72125 (C) 72128 (T) 72131 (L)
Chest High Resolution	Pulmonary Fibrosis • Interstitial Lung Disease	Without IV Contrast	71250
Chest (Routine)	• Abnormal Chest X-Ray • Abscess • COPD • CHF • Infection • Lung CA • Lymphadenopathy • Mass • METS • Pneumonia	With IV Contrast	71260
Chest (Routine)	New Nodule • Follow-up Nodule • Rib Fracture	Without IV Contrast	71250
Chest	Calcium Screening	Without IV Contrast	75571
Abdomen	Hernia	Without IV Contrast	74150
Abdomen	Abdominal Pain • Elevated Liver Function Test • Pancreas Involvement • Abscess • Infection • Enlarged Organs	With IV Contrast	74160
Pelvis	Bony Abnormality • Hernia	Without IV Contrast	72192
Pelvis	Pain • Abscess • Infection • Mass	With IV Contrast	72193
Chest/Abdomen/Pelvis	Abscess • Infection • Mass • METS • Pain • Lymphadenopathy • History of Cancer	With IV Contrast	71260 & 74177
Abdomen & Pelvis (Routine) (CT Appendix) (CT Enterography)	History of Cancer • Small Bowel Disease (Crohn's) • Large Bowel Disease • Abscess • Diverticulitis • Generalized Abdominal Pain • Hemochromatosis • Infection • Mass • Leukemia • Lymphoma • Weight Loss • History of Hepatitis B or C • Gross Hematuria • Cirrhosis • Appendix	With IV Contrast	74177
Abdomen & Pelvis (CT KUB) (CT Renal Calc)	Flank Pain • Kidney Stones • Hematuria with pain	Without IV Contrast	74176
Abdomen & Pelvis (CT Urography)	Hematuria without pain	With IV Contrast	74178
CTA Head	Aneurysm • AVM • Bleed	With IV Contrast	70496
CTA Neck	Stenosis • Aneurysm	With IV Contrast	70498
CTA Head & Neck	Aneurysm • Stenosis	With IV Contrast	70496 70498
CTA Chest	Dissection • Widened Mediastinum • Aneurysm	With IV Contrast	71275
CTA PE (Pulmonary Angio) (PE Study)	Chest Pain • Pulmonary Embolus • Shortness of Breath (SOB) • Positive D-dimer • Blood clot in lungs	With IV Contrast	71275



## Yakima Memorial Hospital/Valley Imaging

Body Part	Symptom (reason for exam)	Order/Perform	CPT Code(s)
CTA Abdomen	Renal Artery Stenosis	With IV Contrast	74175
CTA Abdomen & Pelvis	Mesenteric Artery Abnormality • Celiac Artery Disease • Dissection • Suspected AAA • Known AAA	With IV Contrast	74174
CTA Chest/Abdomen/Pelvis	Dissection • Aneurysm • AAA	With IV Contrast	71275 74174
CTA Abdomen W/Runoff (CTA Runoff) (CTA Lower Extremity)	Claudication • Pain • Non-healing Ulcers • Peripheral Vascular Disease	With IV Contrast	75635
Extremity: (Specify Body Part)	Abscess • Cellulitis • Infection • Mass	With IV Contrast	73201 (Upper) 73701 (Lower)
Extremity: (Specify Body Part)	Fracture • Pain	Without IV Contrast	73200 (Upper) 73700 (Lower)

CT rarely performs studies without and with IV contrast—unless stated as in the above options. Please call CT department before ordering a study without and with IV contrast.

**Who needs a Creatinine level?** (Note: If a creatinine result is needed, please provide written order.)

Anyone having a CT with IV contrast study who is 60 and older or:

1. Is diabetic
2. Has history of kidney disease (including dialysis, solitary kidney, kidney transplant, kidney cancer, kidney failure, kidney surgery)
3. Has history of hypertension requiring medication

**If the Patient's GFR is between 30 and 45, they will require IV hydration. We require signed provider orders prior to scheduling these patients.**

Orders for "Prevention of Contrast Induced Nephropathy Radiology Procedures" can be found on Yakima Memorial Memorial's Homepage/Applications/Order sets/General Contrast –Induced Nephropathy Prevention order set or use the following link: <https://www.yakimamemorial.org/pcinrp>

**Pregnancy:** The possibility of pregnancy will require a negative pregnancy test result to proceed with the exam.

**Oral Contrast:** When necessary or required, patients will be given oral contrast 1 hour prior to their scheduled procedure.

**General x-ray Standard Views**

Phone 509-895-0509  
FAX 509-248-7385

Body Part	Standard View(s)	Codes
<b>Head/Neck</b>		
Skull (Limited)	AP & Lateral	70250
Skull (Complete)	AP, PA, Towne, RT & LT Laterals	70260
Orbits	PA, Waters, Lateral & Blowout	70200
Facial Bones	PA, Waters, Lateral, SMV	70150
Sinuses (Limited)	Waters	70210
Sinuses (Complete) (Routine)	Waters, Lateral, SMV & Caldwell	70220
Mandible	PA, Towne, SMV, RT & LT Laterals	70110
Nasal Bones	PA, Waters, Lateral	70160
<b>Thorax</b>		
Chest	PA & LT Lateral	71046
Ribs (Unilateral)	AP & Oblique & Below Diaphragm	71100
Ribs (Bilateral)	AP & Both Obliques & Below Diaphragm	71110
Sternum	RAO & Lateral	71120
Sternoclavicular Joints	PA & Both Obliques	71130
<b>Spine</b>		
Scoliosis Study	(Only done at Yakima Memorial)	72081
Cervical Spine (2 or 3 views) (Routine)	AP, Lateral, & Odontoid	72040
Cervical Spine Series (5 views)	AP, Lateral, Odontoid & Both Obliques (or specify other views)	72050
Cervical Spine (7 views)	AP, Lateral, Odontoid, Both Obliques, Flexion & Extension	72052
Thoracic Spine Series	AP & Lateral	72070
Thoracolumbar Spine	AP & Lateral	72080
Lumbar Spine Series (Routine)	AP, Lateral, Coned-Down of L5/S1	72100
Lumbar Spine (5 views)	AP, Lateral, Coned-Down L5/S1, & Both Obliques or Flexion & Extension	72110
Lumbar Spine (7 views)	AP, Lateral, Coned-Down L5/S1, & Both Obliques and Flexion & Extension	72114
Lumbar Spine (2 views)	Flexion & Extension only or Side-to-Side only	72120
Pelvis	AP	73000
Sacrum/Coccyx	AP's & Lateral	72220
SI Joints	AP & Both Obliques	72202
<b>Abdomen</b>		
Abdomen/KUB	AP of Kidneys, Ureters & Bladder	74018
Abdomen (2 views)	AP & Upright	74019
Abdomen Series	PA chest, upright abdomen, supine abdomen, and a LT lateral decubitus abdomen	74022
<b>Upper Extremity</b>		
Clavicle	AP	73000
Scapula	AP & Lateral	73010
AC Joints	AP Weight Bearing & AP Non-Weight Bearing	73050
Shoulder	AP Internal & External Rotation	73030
Shoulder w/ Recent Trauma	AP (Internal/External Rotation) and "Y" View	73030
Humerus	AP & Lateral	73060
Elbow	AP, Lateral & Oblique	73080
Forearm (Radius/Ulna)	AP & Lateral	73090
Wrist	PA, Lateral & Oblique	73110
Hand	PA, Lateral & Oblique	73130
Finger	PA, Lateral & Oblique	73140
<b>Lower Extremity</b>		
Hip	AP Pelvis & Lateral Hip	73502
HIP (Bilateral)	AP Pelvis & Lateral of Both Hips	73522
Femur	AP & Lateral	73552
Knee	AP & Lateral	73560
Knee (Bilateral Standing)	Standing AP view only	73565
Lower Leg (Tibia/Fibula)	AP & Lateral	73590
Ankle	AP, Lateral & Oblique	73610
Foot	AP, Lateral & Oblique	73630
Os Calcis (Heel)	AP & Lateral	73650
Toe	AP & Oblique	73660
Pediatric (<1y/o) Upper Extremity	AP & Lateral	73092



**General x-ray Standard Views**

Phone 509-895-0509  
FAX 509-248-7385

Body Part	Standard View(s)	Codes
Pediatric (<1y/o) Lower Extremity	AP & Lateral	73592
<b>Other</b>		
Leg Length (only performed at Memorial Hospital)	AP Bilateral Hips, Knees & Ankles	77073
Bone Age Study	PA of LT Hand	77072
Bone Survey (Infant/child)	AP & Lateral Skull • Lateral C-Spine • Lateral L-Spine • AP Chest • AP Humerus • AP Forearms • PA Hands • AP Femurs • AP Lower Legs • AP Pelvis (to include mid lumbar spine) • AP Feet • Thorax (AP, Lateral, Right & Left Obliques) to include ribs	77076
Bone Survey (Complete)	AP & Lateral Skull • Lateral C-Spine • AP & Lateral L-Spine • AP Pelvis • Lateral Thoracic Spine • Obliques of Ribs • AP Femurs • AP Lower Legs (to include ankles) • AP Bilateral Humerus	77075
<b>Procedures (only performed at Memorial Hospital)</b>		
Barium Swallow/Esophagus		74220
Upper GI		74246
Small Bowel Follow Through		74250
Upper GI w/ Small Bowel Follow Through		74246 (UGI), 74248 (SB)
Colon		74270
Air Contrast Colon		74280
Lumbar Puncture		77003, 62270
Cervical Myelogram		62302, 77003, 72126
Lumbar Myelogram		62304, 77003, 72132
Shoulder Injection		73040, 23350
Hip Injection		73525, 27093
Port Check		77002

*\*If patient is over 400 lbs., please call the MRI department at 509-895-0505.*

Consultation of a Clinical Decision Support Mechanism is required. Order must include DSN, G-Code, and Modifier.

Body Part	Symptom (reason for exam)	Order/Perform	CPT Code(s)
BRAIN	Headaches • Memory Loss • Dizziness • Seizures • Confusion • Stroke • Trauma	Without IV Contrast	70551
BRAIN	Tumor • METS • Mass • Known M.S. • Bell's Palsy • Facial Nerve • Acoustic Neuroma	Without & With IV Contrast	70553
ORBITS	Optic Nerve Pathology	Without & With IV Contrast	70543
MRA BRAIN	Aneurysm • 3rd–7th Nerve Palsy	Without IV Contrast	70544
MRA NECK	Stenosis • Aneurysm • Dissection	Without & With IV Contrast	70549
NECK (soft tissue)	Lump • Mass • Vocal Cord Paralysis	Without & With IV Contrast	70543
SPINE: Cervical Thoracic Lumbar	Pain • Sciatica • Stenosis • Radiculopathy • HNP • Fracture • History of Surgery (Cervical or Thoracic) • Metastatic Bone Disease	Without IV Contrast	72141 (C) 72146 (T) 72148 (L)
SPINE: Cervical Thoracic Lumbar	Infection • Abscess, Strynx • History of Lumbar Surgery within 5 years	Without & With IV Contrast	72156 (C) 72157 (T) 72158 (L)
SPINE SURVEY	Myeloma • Metastatic disease	Without IV Contrast	72148
ABDOMEN (MRCP)	Abdominal Pain • Detection of bile duct or gallbladder stones	Without IV Contrast (NPO for 4 hours)	74181
ABDOMEN	Renal/Liver/Pancreas Lesion • Mass • METS • Cirrhosis	Without & With IV Contrast (NPO for 4 hours)	74183
MRI Enterography	Complications from Crohn's disease inflammation • Inflammatory bowel disease	Without and With IV Contrast	74183 72197
BREAST	Implant Rupture	Without IV Contrast	77047
BREAST	Breast cancer • BRCA 1 & 2 • Dense Breast Tissue	Without and With IV Contrast	77049
HUMERUS RADIUS/ULNA	Pain • Trauma • Fracture • Muscle/Tendon Tear	Without IV Contrast	73218
HUMERUS RADIUS/ULNA	Infection • Osteo • Abscess • Mass • Tumor	Without & With IV Contrast	73220
SHOULDER, ELBOW, WRIST	Pain • Trauma • Fracture • Muscle/Tendon Tear	Without IV Contrast	73221
SHOULDER, ELBOW, WRIST	Infection • Osteo • Abscess • Mass • Tumor	Without & With IV Contrast	73223
FEMUR, TIBIA/FIBULA	Pain • Trauma • Fracture • Muscle/Tendon Tear	Without IV Contrast	73718
FEMUR, TIBIA/FIBULA	Infection • Osteo • Abscess • Mass • Tumor	Without & With IV Contrast	73720
HIP, KNEE	Pain • Trauma • Fracture • Muscle/Tendon Tear	Without IV Contrast	73721
HIP, KNEE	Infection • Osteo • Abscess • Mass • Tumor	Without & With IV Contrast	73723
ANKLE (mid foot through calcaneus)	Pain • Achilles Tendon tear • Posterior Tibial Tendon tear • Sprain • F/U Fracture	Without IV Contrast	73721
<b>ANKLE (mid foot through</b>	Mass • Osteomyelitis • Cellulitis	Without & With IV Contrast	73723
<b>FOOT (toes through mid foot)</b>	Plantar Fasciitis • Pain • F/U Fracture	Without IV Contrast	73718
<b>FOOT (toes through mid foot)</b>	Osteomyelitis • Neuroma • Abscess • Mass • Cellulitis	Without & With IV Contrast	73720

*\*If patient is over 400 lbs., please call the MRI department at 509-895-0505.*

Consultation of a Clinical Decision Support Mechanism is required. Order must include DSN, G-Code, and Modifier.



Yakima Memorial Hospital/Valley Imaging

Body Part	Symptom (reason for exam)	Order/Perform	CPT Code(s)
MRI ARTHROGRAM Shoulder Wrist Hip (Note: Knee and Ankle must be scheduled at Yakima Valley Memorial)	Internal Derangement • Labrum Ligament Tears	Direct Joint Injection	73222(Shoulder) 73222 (Wrist) 73722 (Hip) 73722 (Knee) 73722 (Ankle)
PELVIS (Female)	Placenta Accreta • Pain during pregnancy • Bicornuate Uterus	Without IV Contrast	72195
PELVIS (Female)	Detection of Gynecologic Problems • Malignancy • Pelvic Pain • Pelvic Mass including Ovarian Cysts or Fibroids	Without & With IV Contrast	72197
PELVIS	Pain • Fracture • Metastatic disease	Without IV Contrast	72195
PELVIS	Mass • Abscess • Infection	Without & With IV Contrast	72197
SACRUM	Pain • Fracture • Malignancy	Without IV Contrast	72195
S.I. JOINTS	Pain • Sacrolitis	Without IV Contrast	72195
Multiple Myeloma	Myeloma • Evaluate Bone Marrow	Without IV Contrast	77084

**MRI rarely performs studies with IV contrast only. Refer to MRI department before ordering a study with IV contrast.**

**Who needs a Creatinine Blood Result?** (Note: If Creatinine result is needed, please provide written order.)

Anyone having an MRI utilizing IV Contrast study who:

1. Is diabetic
2. Has history of kidney disease (including dialysis, solitary kidney, kidney transplant, kidney cancer, kidney failure, kidney surgery)
3. Has history of hypertension requiring medication

Anyone having an MRI must be competent to sign MR screening form and contrast form.

**Patients who are breast feeding may want to “pump & dump” for 24 hours after the exam if Gadolinium is injected.**

**Please document on order if patient uses a wheelchair or needs moving**

Body Part	Symptom (reason for exam)	Additional Info	CPT Code(s)
Parathyroid with SPECT-CT	Elevated Calcium/PTH	PTH and Calcium level	78072
Thyroid Uptake and Scan	Hyperthyroidism or hypothyroidism • Thyroid nodule function evaluation • Graves' disease • Sub acute thyroiditis • Evaluation of heterogeneity of function within the thyroid gland • Abnormal TSH, T3, T4	Lab results: TSH, T3 and T4 Image results from other modalities Prep: No CT with contrast in past 6 weeks, off thyroid medication 4 weeks, off anti-thyroid medication 4 days.	78014
Thyroid Scan Only	Thyroid nodule function evaluation	Lab results: TSH, T3 and T4 Image results from other modalities Prep: No CT with contrast in past 6 weeks, off thyroid medication 4 weeks, off anti-thyroid medication 4 days	78013
Thyroid Whole-Body Scan	Thyroid carcinoma Post ablation evaluation	Prep: No CT with contrast in past 6 weeks, off thyroid medication 6 weeks	78018
Thyroid Ablation	Thyroid cancer	Please refer to Endocrinologist	
Thyroid Therapy	Hyperthyroidism	Please refer to Endocrinologist	
Biliary Patency	Bile leak • Evaluation of the biliary system after surgery • Biliary atresia	Image results from other modalities Prep: NPO 4 hours	78226
Biliary with Ejection Fraction	Acute or chronic cholecystitis, bile gastritis, RUQ pain, abdominal pain	Image results from other modalities Prep: No narcotic pain meds for 24 hours. NPO 4 hours before exam	78227
Gastric Bleeding	Active gastrointestinal bleeding	Results from Colonoscopy	78278
Gastric Empty	Nausea/Vomiting • Med/Surg evaluation of effectiveness • Gastroesophageal reflux (pre-surgical) • Persistent symptoms following upper GI surgery	Image results from other modalities Prep: Nothing to eat or drink 4 hours prior, no narcotic pain meds 48 hours prior, no gastric emptying meds 48 hours prior.	78264
Meckel's Diverticulum	Hematochezia, R/O Meckel's Diverticulum	Prep: Patient should fast 3 hours prior to scan	78290
Liver Imaging (static only)	Evaluation of Cirrhosis, hepatitis • Focal Nodular hyperplasia • Assess function of reticuloendothelial system		78201
—with vascular flow	Hepatic Cavernous Hemangioma Evaluation of liver vascular flow		78830
Liver and Spleen (static only)	Evaluation of Cirrhosis • Hepatitis • Residual splenic tissue after splenectomy		78215
—with vascular flow	Evaluation of liver vascular flow		78216
Lung V/Q (vent/perfusion)	R/O Pulmonary Embolism • Chest pain/ shortness of breath with positive D-dimer	Chest x-ray within 24 hours.	78582
Lung Perfusion Only	Evaluation of pulmonary perfusion		78580
Lung Quantitative (vent or perf)	Pre- or post-operative evaluation		78598
MUGA	Cardio-toxic chemo Pre-chemo LVEF evaluation Congestive heart failure		78472
NM Cardiac Viability (TL-201)	Evaluate viable cardiac tissue		78452
Renal with Lasix Washout	Evaluation of hydronephrosis	Image results from other modalities Prep: Well hydrated.	78708
Renal Flow and Function	Evaluation of kidney function Flank pain	Image results from other modalities Prep: Well hydrated.	78707
Renal with Captopril	R/O Renal artery stenosis	Image results from other modalities Prep: No ACE inhibitors last 3 days.	78709



Body Part	Symptom (reason for exam)	Additional Info	CPT Code(s)
Whole-Body Bone	History of Cancer • Evaluation of bone pain • Elevated alkaline phosphatase • Arthritis • R/O Paget's Disease	Recent images/reports from other modalities	78306
Spect Bone Spect-CT Bone	Low Back pain • Pars Fracture • Stress Fracture • Degenerative disc disease	Recent images/reports from other modalities	78830
Three Phase Bone	Osteomyelitis • Cellulitis • Avascular Necrosis • Bone infarcts • Loosening of prosthesis • Stress Fracture	Recent images/reports from other modalities	78315
Limited Bone	Fracture w/o hardware Bone pain in specific area	Recent images/reports from other modalities	78300
Multiple Areas	Bone pain in more than one area	Recent images/reports from other modalities	78305
IN-111 Octreotide	Neuroendocrine tumors (carcinoid)		78830 78804
Datscan	Tremor/Gait Disturbance Parkinsonian Syndrome		78830
Exercise Nuclear STRESS Test ★	• Abnormal or equivocal exercise stress test • Able to exercise with a goal of meeting 85% of max predicted HR * If unable to meet target HR, patient will be converted to a vasodilator test. • Likely to have poor echo images • Symptomatic	Contraindications for exercise • Ventricular pre-excitation • Uninterpretable ECG (V-paced rhythm, LBBB, >1mm ST depression) • Severe hypertension	78452
Vasodilator Nuclear Stress Test ★	• Exercise contraindicated or unable to exercise or achieve 85% max predicted HR (document why) • Uninterpretable baseline ECG (including LBBB, ventricular paced rhythm, >1 mm ST depression) • Likely to have poor echo images • Symptomatic	Contraindications for vasodilator • 2nd degree or 3rd degree AV Block • Severe hypotension	78452
Nuclear Medicine Viability Study	Ischemic cardiomyopathy— evaluate viable cardiac tissue		78452

★

★

Consultation of a Clinical Decision Support Mechanism is required. Order must include DSN, G-Code, and Modifier.

★

Exam	Organs Included	Symptoms	CPT Code(s)
US Abdomen	Pancreas • Liver • Gallbladder • Common Bile Duct • Right Kidney • Left Kidney • Aorta • Spleen	Abdominal Pain • History of Cancer • Nausea • Vomiting • Enlarged Organs • Abnormal Labs • Weight Loss <b>Prep:</b> NPO for 8 hours; small sips of water with medication acceptable	76700
US Abdomen Limited for Liver/Gallbladder	Pancreas • Liver • Gallbladder • Common Bile Duct	RUQ Pain • Jaundice • Suspected Gallstones • Cirrhosis • History of gallstones • Elevated liver function tests • Hepatitis B or C <b>Prep:</b> NPO for 8 hours; small sips of water acceptable	76705
US Abdomen Limited for hernia or mass	Area indicated on order	Soft tissue mass in the abdominal wall • Soft tissue mass on the lower back • Hernia, umbilical hernia or higher in the abdomen <b>Prep:</b> None	76705
US Appendix	RLQ Appendix area	RLQ pain • Elevated WBC Pt must have a normal BMI to have the appendix evaluated by Ultrasound	76705
US Extremity Non-Vascular	Area indicated on order	Palpable Soft Tissue Lump on an extremity • Abscess	76882
US Kidneys/ Retroperitoneal	Right Kidney • Left Kidney • Bladder	Flank pain • Hematuria • Polycystic Kidneys <b>Prep:</b> Drink 32oz. of water 1 hour prior to exam. If able to hold the bladder, it helps the exam	76770
US Pelvis Limited	Inguinal area indicated on order	Inguinal hernia or history of inguinal hernia • Groin pain to eval for hernia	76857
US Pelvis	Uterus • Ovaries  *Please order transvaginal as indicated	Pelvic Pain • Ovarian Cysts • Abnormal Vaginal Bleeding • Ovarian Cancer Screening • Polycystic ovary syndrome • Clinically Suspected Adnexal Mass • Endometrial Evaluation <b>Prep:</b> Drink 32oz. of water 1 hour prior to exam; DO NOT VOID	76856 Transvaginal 76830
US Pregnancy 1 <sup>st</sup> Trimester with Transvaginal	Uterus • Ovaries • Pregnancy  *Please order transvaginal as indicated	Determine Location of Pregnancy (Intrauterine or Extrauterine) • Fetal Dates • Confirm Viability • Evaluate Bleeding or Pain <b>Prep:</b> Drink 32oz. of water 1 hour prior to exam; DO NOT VOID	76801 Transvaginal 76817
US Pregnancy Post 1 <sup>st</sup> Trimester	Uterus • Placenta • Anatomical survey of the fetus	Anatomic Survey of the fetus • Anatomy This exam can only be billed one time in a pregnancy—use for anatomical survey only <b>Prep:</b> Drink 32oz. of water 1 hour prior to exam; DO NOT VOID	76805
US Pregnancy Follow-Up	Uterus • Ovaries • As indicated on order for fetal/pregnancy evaluation	Re-evaluation of fetal size • Re-evaluation of organ systems suspected or confirmed to be abnormal on previous scan • Re-evaluation of anatomy not seen well on previous anatomic survey <b>Prep:</b> Drink 32oz. of water 1 hour prior to exam; DO NOT VOID	76816
US Pregnancy Limited	Uterus • Ovaries • Any additional concerns noted on the order	Unknown dates • Confirm viability • AFI evaluation • Placental location • Fetal position <b>Prep:</b> Drink 32oz. of water 1 hour prior to exam; DO NOT VOID	76815
US Pregnancy Transvaginal	Transvaginal cervix	Funneling • Cerclage • Preterm labor • History of preterm labor • Shortened Cervix on previous exam	76817
US Biophysical Profile	Biophysical profile evaluation of the fetus	Decreased fetal movement • Post Dates Pregnancy • Irregular Non-Stress Test	76819

Exam	Organs Included	Symptoms	CPT Code(s)
US Elastography with US Abdomen complete or limited	Assessment of liver fibrosis risk, longitudinal monitoring of liver disease.	Needs to be ordered with US abdomen complete or limited if not completed within the past 1 month. Prep: NPO for 8 hours; no alcohol 12 hours prior to study	76981 & Abd Comp 76700 or Abd Ltd 76705
US Pyloric Stenosis	Pylorus	Projectile Vomiting • Weight Loss • Failure to Thrive	76705
US Scrotum/ Testicles	Bilateral Testicles • Scrotum	Pain • Swelling • Mass • Location of Testicle (undescended)	76870
US Spine (Infant)	Spine • Area of dimple	Sacral Dimple • Skin Tag	76800
US Thyroid/ Soft Tissue Neck	Thyroid • Neck area indicated on order	Abnormal Thyroid Function • Palpable Mass • Enlargement	76536
US Neonatal Head (US Ventricle)	Intracranial Anatomy	Increased head circumference Follow up abnormality seen on last exam is conducted through the anterior fontanel, please indicate on the order if the anterior fontanel is patent.	76506
US Follicle Study	Ovaries • Follicles • Uterus • Endometrium	Infertility • Baseline for infertility workup Transvaginal evaluation of follicles	76830
US Soft Tissue	Any superficial area on body • specify location on order	Superficial palpable mass	76999