ALL ORDERS MUST BE SIGNED, DATED AND TIMED BY PHYSICIAN

Allergies/Reactions:

Fax all infusions to: 833-380-8800

Please mark the appropriate infusion center:

- ❑ Allenmore Infusion Center
- ❑ Auburn Infusion Center
- ❑ Gig Harbor Infusion Services
- ❑ Puyallup Infusion Center
- ❑ DHEC Infusion Center
- ❑ North Spokane Infusion Center
- ❑ North Star Lodge Infusion Center

ORDERS WITH CHECK BOXES When an order is optional (those with check boxes), physicians are responsible for indicating a check mark in the box next to the order. Orders left unchecked will not be initiated.

Mirikizumab-mrkz (Omvoh):

Patient Name:_____ Requested Date of Service: _____ /_____ /_____

Date of Birth: _____ /_____ /_____ Patient Phone Number: (_____) _____ - _____ ❑ May leave message

Diagnosis: ❑ Ulcerative Colitis

ICD -10 Code:

❑_____

Required: H&P with documentation to support above diagnosis including ICD-10 code and supporting labs and documentation

If required documentation not received with order, scheduling of treatment will be delayed until complete information is available

Baseline Labs Required:

- Latent TB testing Date: _____/_____/_____ Results: _____
- CMP (liver enzyme and bilirubin levels) Date: _____/_____/_____ Results: _____

Maintenance Labs Required:

❑ CMP prior to infusions

☑ **IV Access:** Access and/or maintain IV site in accordance with MHS IV Therapy P&P: Peripheral IV Device Site Selection, Insertion, Maintenance, and Discontinuation; and Maintenance of Central Venous Catheters-Flushing, Dressing Changes and Removal.

Treatment Regimen:

Mirikizumab-mrkz (Omvoh)

❑ 300 mg IV over 30 minutes at weeks 0. 4, and 8; followed by

❑ 200 mg SUBQ (given as two consecutive injections of 100 mg each) at week 12, and every 4 weeks thereafter

☑ **Vital signs:** Check vital signs prior to and at completion of infusion.
Contact provider if systolic BP>180; diastolic BP>100; systolic BP<90; HR >110; temp >38C (100.4F)

If Hypersensitivity reaction (fever, chills, hypotension, rigors, itching, rash, etc.)

- Consult MultiCare hypersensitivity guideline for treatment management
- Notify provider of reaction, assessment and need for further orders

Code Status: Please note, patients will be considered FULL Code unless marked otherwise. If the patient has a POLST, advance directive or living will, please include a copy with the orders.

Was consent obtained: ❑ Yes ❑ No (if yes, please send DOCUMENTATION of consent with order)

Provider Signature	Print Name	Date	Time

Another brand of drug, identical in form and content, may be dispensed unless checked ❑ **Orders expires in 12 months****

Patient Identification - Always Attach Patient Label

Name:

MRN #:

CSN #:

Age / Sex and Gender:

Pre-printed Order

ULCERATIVE COLITIS

MultiCare

61-0189-4 (Rev. 9/24)