ALL ORDERS MUST BE SIGNED, DATED AND TIMED BY PHYSICIAN			
Allergies/Reactions:	Fax all infusions to: 833-380-8800 Please mark the appropriate infusion center:	☐ Allenmore Infusion Center☐ Auburn Infusion Center☐ Gig Harbor Infusion Services☐ Puyallup Infusion Center☐	☐ DHEC Infusion Center☐ North Spokane Infusion Center☐ North Star Lodge Infusion Center☐
ORDERS WITH CHECK BOXES When an order is optional (those with check boxes), physicians are responsible for indicating a check mark in the box next to the order. Orders left unchecked will not be initiated.			
Certolizumab Pegol (Cimzia):			
Patient Name:Requested Date of Service://			
Date of Birth:/ Patien		•	
Diagnosis: Ankylosing Spondylitis, active (AS) Crohn's disease, active (CD) Non-Radiographic Axial Spondyloarthritis (NRAS) Plaque Psoriasis (PPs) Psoriatic Arthritis, active (PsA) Rheumatoid Arthritis, active (RA) Other Required: H&P with documentation to support above diagnosis including ICI **If required documentation not received with order, scheduling of treatment		ICD -10 Code:	
Reason patient not able to self-administer Baseline Labs Required: CBC / CMP Latent TB testing Date:/	Results: Results: Results: Results:		
Contact provider if patient develops serious infection; close monitoring by provider is recommended. Follow-up appointment with referring provider scheduled for (date):/			
Treatment Regimens: AS/NRAS: Initial: 400 mg SQ at weeks 0, 2, and 4; Maintenance: 200 mg every 2 weeks or 400 mg every 4 weeks CD: Initial: 400 mg SQ at weeks 0, 2, and 4; Maintenance: 400 mg every 4 weeks PsA/RA: 400 mg SQ at weeks 0, 2, and 4 THEN □ 200 mg SQ every other week OR □ 400 mg SQ every 4 weeks PPs: □ 400 mg SQ every other week OR □ ≤90 kg; 400 mg SQ at weeks 0, 2, 4 then 200 mg every other weeks Vital signs: Check vital signs prior to and at completion of dose. Contact provider if systolic BP>180; diastolic BP>100; systolic BP<90; HR >110; temp >38C (100.4F) If Hypersensitivity reaction (fever, chills, hypotension, rigors, itching, rash, etc.) Consult MultiCare hypersensitivity guideline for treatment management Notify provider of reaction, assessment and need for further orders Code Status: Please note, patients will be considered FULL Code unless marked otherwise. If the patient has a POLST, advance directive or living will, please include a copy with the orders. Was consent obtained: □ Yes □ No (if yes, please send DOCUMENTATION of consent with order)			
Provider Signature	Print Name	 Date	 Time
5			
Another brand of drug, identical in form and content, may be dispensed unless checked Orders expires in 12 months**			
Patient Identification - Always Attach Patient Label Name:		rinted Order 「OLIZUMAB PE	GOL (Cimzia)

Name:

MRN #:

CSN #:

MultiCare 🕰

