

ALL ORDERS MUST BE SIGNED, DATED AND TIMED BY PHYSICIAN

Allergies/Reactions:

Fax all infusions to: 833-380-8800
Please mark the appropriate infusion center:

- | | |
|---|---|
| <input type="checkbox"/> Allenmore Infusion Center | <input type="checkbox"/> DHEC Infusion Center |
| <input type="checkbox"/> Auburn Infusion Center | <input type="checkbox"/> North Spokane Infusion Center |
| <input type="checkbox"/> Gig Harbor Infusion Services | <input type="checkbox"/> North Star Lodge Infusion Center |
| <input type="checkbox"/> Puyallup Infusion Center | |

ORDERS WITH CHECK BOXES

When an order is optional (those with check boxes), physicians are responsible for indicating a check mark in the box next to the order. Orders left unchecked will not be initiated.

Ublituximab (Briumvi):

Patient Name: _____ Requested Date of Service: ____/____/____

Date of Birth: ____/____/____ Patient Phone Number: (____) _____ - _____ May leave message

ICD -10 Code:

Diagnosis: Multiple Sclerosis _____

Required: H&P with documentation to support above diagnosis including ICD-10 code and supporting labs and documentation
If required documentation not received with order, scheduling of treatment will be delayed until complete information is available

Baseline Labs Required:

- Hepatitis B
- Quantitative serum immunoglobulins
- Pregnancy test

Maintenance labs required:

Pregnancy testing prior to each dose in patients' who may become pregnant

IV Access: Access and/or maintain IV site in accordance with MHS IV Therapy P&P: Peripheral IV Device Site Selection, Insertion, Maintenance, and Discontinuation; and Maintenance of Central Venous Catheters-Flushing, Dressing Changes and Removal.

Premeds:

- Methylprednisolone 100 mg IVP
- Diphenhydramine 25 mg IVP
- Acetaminophen 650 mg PO prn

Treatment Regimen:

Ublituximab (Briumvi) 150 mg IV x 1 on day 1, followed by 450 mg IV once 2 weeks later; subsequent doses of 450 mg IV once every 24 weeks (beginning 24 weeks after the first dose of 150 mg)

Vital signs: Check vital signs prior to and at completion of infusion.
Contact provider if systolic BP>180; diastolic BP>100; systolic BP<90; HR >110; temp >38C (100.4F)

If Hypersensitivity reaction (fever, chills, hypotension, rigors, itching, rash, etc.)

- Consult MultiCare hypersensitivity guideline for treatment management
- Notify provider of reaction, assessment and need for further orders

Code Status: Please note, patients will be considered FULL Code unless marked otherwise. If the patient has a POLST, advance directive or living will, please include a copy with the orders.

Was consent obtained: Yes No (if yes, please send DOCUMENTATION of consent with order)

Provider Signature _____ Print Name _____ Date _____ Time _____

Another brand of drug, identical in form and content, may be dispensed unless checked **Orders expires in 12 months****

Patient Identification - Always Attach Patient Label

Name:
MRN #:
CSN #:
Age / Sex and Gender:

Pre-printed Order
MULTIPLE SCLEROSIS

