## MHS Home/Alternate Site Infusion Services

Guselkumab (Tremfya) Injection Order Set				
ALL ORDERS MUST BE SIGNED AND DATED BY PRESCRIBING PROVIDER				
Patient Name:	DOB://	Weight: lb/kg		
Patient Phone Number: ()	Requested Date of Service:	//		
Patient Allergies:				
Diagnosis:	ICD – 10 Code:	_		
Baseline Labs required: <ul> <li>CBC/CMP</li> <li>Latent TB testing</li> <li>Date:/</li> <li>HBV screening</li> <li>Date:/</li> <li>HCV screening</li> <li>Date:/</li> <li>HIV screening</li> <li>Date:/</li> </ul> <li>Maintenance Labs required:         <ul> <li>CBC/CMP every 12 months</li> <li>Latent TB testing every 12 months</li> </ul> </li>	_ Result: _ Result: _ Result:			
Lab Orders:				
Additional Requirements: In addition to order, please include H&P with documentation to support diagnosis. Must include ICD- 10 Code(s) and supporting labs.				
Provider Order for Guselk				
	e with check boxes), providers ar e order. Orders left unchecked wi			
Biologic Injection:         Guselkumab (Tremfya) Dosing:         □       100 mg SUBQ at week 0, week 4, then every 8 weeks         □       100 mg SUBQ every 8 weeks         Skilled Nurse Interventions:         •       Admit (first visit) patient to services for home infusion therapy of Guselkumab (Tremfya).         •       Complete Skilled Nurse visit with each injection for ongoing home infusion therapy of Guselkumab (Tremfya).         •       Obtain vital signs (TPR & B/P) at baseline and post-injection.         •       Obtain patient weight at each visit.         •       Draw labs as ordered.         •       Inject Guselkumab (Tremfya) as prescribed.         •       If patient is stable after injection, Skilled Nurse will complete visit.				
CONTINUED ON NEXT PAGE				
FOR MHS HOME/ALTERNATE SITE INFUSION SERVICES USE ONLY				
Patient Identification: Name: MRN: DOB:	Pre-printed order – Page 1 of 2 Guselkumab (Tremfya) Order So MultiCare			

## If Hypersensitivity Reaction Develops (fever, chills, hypotension, rigors, itching, rash, etc.):

## The Skilled Nurse will:

MRN:

DOB:

- Administer emergency medications as prescribed (below).
- Contact Emergency Medical Services (EMS/911) if indicated.
- Increase vital sign monitoring to every 5 minutes.
- Contact provider via emergency phone number \_\_\_\_\_ (required) for additional instructions.
- Notify MHS Home/Alternate Site Infusion Pharmacist AND Nurse Supervisor.

Emergency Medications: To be administered by skilled nurse as needed for hypersensitivity reactions.

- Diphenhydramine 50 mg/mL solution: Inject 0.5 mL (25 mg) into the vein via slow IV push over at least 2 minutes as needed for rash, itching, hives, flushing of skin, and/or mild-to-moderate hypersensitivity reaction. May give IM if no IV access available. Max dose = 50 mg.
- Methylprednisolone sodium succinate (SOLU-MEDROL) 125 mg/2 mL solution: Inject 2 mL (125 mg) into the vein as a slow IV push over at least 3 minutes once, as needed for hives, flushing of the skin, shortness of breath, chest tightness, tachycardia (HR>140 bpm), and/or moderate-to-severe hypersensitivity reaction. May give IM if no IV access available.
- EPINEPHrine (Adrenalin) 1 mg/mL solution: Inject 0.3 mL (0.3 mg) intramuscular every 5-15 minutes as needed (maximum 3 doses) for severe alleraic reaction or anaphylaxis AND call 911 and provider.
- Acetaminophen (Tylenol) 325 mg tab: Take 2 tablets (650 mg) by mouth as needed for fever (PRN for temperature > 101F/38.3C) and/or mild-to-moderate hypersensitivity reaction.
- 0.9% NaCl (NS) solution: Infuse 500 mL into the vein via gravity as needed at a rate needed to maintain IV access.
- Oxygen: Initiate oxygen by RN PRN chest pain or dyspnea to keep SpO2>90%. For 1-6 LPM, use NC. For 6-10 LPM, use simple mask.

Code Status: Please note, patients will be considered FULL Code unless marked otherwise. If the patient has a POLST,	
advance directive or living will, please include a copy with the orders.	

Was consent obtained: 
Yes No (if yes, please send DOCUMENTATION of consent with order)

I certify that this patient is safe and appropriate to receive therapy from Home Infusion Services.

Provider Signature: Printe NPI: Orders expire in 12 month	d Name: Date: s unless otherwise specified:
Provider/Clinic Information:	Return completed orders to: MultiCare Home/Alternate Site Infusion Services
Address:	253-459-6650 (phone) / 253-864-2785 (fax)
Phone #: Fax#:	
FOR MHS HOME/ALTERNATE SITI	E INFUSION SERVICES USE ONLY
Patient Identification: Name:	Pre-printed order – Page 2 of 2 Guselkumab (Tremfya) Order Set

**MultiCare** 

Revised 10/24